

GOVERNMENT OF JHARKHAND
Road Construction Department (RCD)

NOTICE INVITING QUOTATION (NIQ)

For ADB Project (No 2594-IN)

Quotation Reference No.: RCD/PIC ADB Project **RAN-1**

1.	Name of work	Supply, Installation, Commissioning of the following items : Item-01: Servers A. Database Server – 1 No. B. Application Server – 1 no. Item-02: Miscellaneous Hardware, Software & LAN A. Plotter A0 size – 1 No. B. Color Laser Printer (A3 size) – 1 No. C. Copy/Scan/Fax Machines – 2 Nos. D. Multimedia Projector – 1 No. E. LCD TV (40”) – 2 Nos. F. MS Office & Antivirus - 10 Nos. G. LAN Item- 03: Manifold (GIS Software)
2.	Time for completion	42 days from the placement of order
3.	Date of publication on website	24-01-2012
4.	Date of receipt of quotation	On or before 08-02-2012 15:00 Hrs.
5.	Name & address of the office inviting quotation	Director – ADB Project cum Special Officer (Communication), Road Constructions Department, Project Bhawan, Room no. 222, Dhurwa, Ranchi, Jharkhand – 834004.
6.	Contact No. of Procurement Officer	0651 2401917

Reputed manufacturers/suppliers or their authorized Indian representative/partner are invited to give their quotation (offer) for each item, mentioned above, separately. The price offer shall be in Rupees (INR).

The details of specification, terms and conditions are can be seen and downloaded from websites –
www.jharkhand.gov.in

Director – ADB Project cum
Special Officer (Communication),
Road Constructions Department,
Project Bhawan, Room no. 222,
Dhurwa, Ranchi, Jharkhand – 834004.

GOVERNMENT OF JHARKHAND
Road Construction Department (RCD)

NOTICE INVITING QUOTATION (NIQ)

For ADB Project (No-2594-India)

Quotations (offers) are invited from reputed manufacturer/ supplier or their Indian representative/ partner for the following items for ADB Project (No-2594-India)

Item-01: Servers

- a. Database Server – 1 No.
- b. Application Server – 1No.

Item-02: Miscellaneous Hardware, Software & LAN

- a. Plotter (A0 size) – 1 Nos.
- b. Color Laser Printer (A3 size) – 1 No.
- c. Fax Machines – 2 Nos.
- d. Multi-media Projector – 1 No.
- e. LCD TV (40”) – 2 Nos.
- f. PC Software – MS Office & Antivirus (10 Nos.)
- g. Local Area Networking (LAN)

Item-03 : Manifold

IMPORTANT INFORMATION/ INSTRUCTIONS:

1. The offers should reach the office of Director – PIC, *ADB Project cum Special Officer (Communication)*, Road Constructions Department, Project Bhawan, Room no. 222, Dhurwa, Ranchi, Jharkhand – 834004 on or before **08-02-2012 15:00 Hrs.**
The offers shall be opened at 15:30 Hrs on the same day.
2. The Earnest money deposit (EMD), qualification criteria and the documents to be submitted for each item is provided in the “Specification & Compliance” sheets in the Annexure-SCs. **Please read them carefully.**
3. The offer is to be submitted for each item separately in a sealed envelope. The envelope would contain –
 - a) Prescribed EMD,
 - b) Technical Offer
 - Relevant “Specs and Compliance” sheet duly filled in for an Item;
 - Non-compliance Sheet duly filled in, if
 - Documents required to be submitted;
 - c) Price offer in a sealed envelop.
4. The offers without EMD will be rejected outright.
5. The valid offers will be evaluated technically first and the price offer shall be opened only for the ones that have been qualified technically. Opening of the price offer may be done at a later date. However, in such case, the offerers shall be intimated to witness the opening.
6. Site visit by the offerer for items 1 & 2 (g) is desired. They may fix an appointment with the Director for the same. For any query, the offerer may communicate with the Director through e_mail: adb4814jh@gmail.com

7. RCD shall have the right to ask for any clarification or additional relevant data for making technical evaluation from the offerer. In turn, the offerer has to comply the same.

PAYMENT TERMS:

1. No money shall be paid in advance.
2. 65% of the order value will be paid after full delivery/ supply of item/ goods.
3. 25% of the order value will be paid after installation, commissioning and training. Also the earnest money shall be returned.
4. Balance shall be paid after the expiry of the warranty period after deduction of liquidation damage, if any.
5. All payments shall be subjected to TDS and such levies/taxes etc. as per government rules.

GENERAL TERMS & CONDITIONS:

1. The items/ goods to be supplied new and not refurbished or used.
2. RCD shall have the authority to amend the specification/ terms and conditions etc. prior to the opening of the bids. Such notifications shall be made available on the web and the offerers are requested to visit the web regularly.
3. All acceptances shall be made by the RCD or their authorized representative.
4. Training, wherever required for an item, has to be done at Ranchi. Only the space and basic infrastructure shall be provided by RCD. All other expenses shall be borne by the selected offerer.
5. Delay in delivery, installation and commissioning by the selected offerer and not attributed to RCD, shall invite a liquidated damage of 1% per week to a maximum of 10% of the order value that will be adjusted against the balance payment.
6. All repairs and maintenance has to be within 2 working days. In case the repairs and maintenance exceed this period a liquidated damage per occurrence at the rate of 1% per week to a maximum of 10% of the order value shall be levied that will be adjusted against the balance payment. Thus, it is advised that the offerer should be prepared to maintain sufficient inventory of the spares and supplies, also, maintain a service centre at Ranchi.
7. Validity of the offer should be 3 months from the bid opening date. There shall not be any changes in the order value till the warranty period.
8. RCD has the authority to place the order to offerers without assigning any reason to the rest of the offerers. Also, RCD will have right to cancel this tendering process without assigning any reason. In such case the EMD and the offer documents shall be returned to the offerers without prejudice.

ITEM-01: SERVERS

Please go through the following sections carefully and make a copy of this annexure. This annexure is a part of the “Technical offer”.

MANDATORY REQUIREMENT:

1. Earnest Money Deposit of **Rs. 20,000.00** to be submitted as a bank draft/banker’s cheque in the name of Director, RCD, Jharkhand payable at Ranchi.
2. The offerer must be a profit making organization having an annual turnover of Rs. 50 Lakhs (average for the past 3 financial years) – *Audited Balance Sheet /or Certificate of a Chartered Accountant is needed to support this.*
3. PAN/TAN/Service Tax Certificates
4. Must have made at least 2 such or similar ‘delivery to installation’ previously preferably to government/public sector organization.

INSTRUCTIONS:

1. Fill up the “Complied” column by hand.
2. The Requirement / Specification mentioned is the minimum requirement. The offerer can offer alternate configuration without affecting the functionalities.
3. In case of any entry in the column “Complied” is “N”, please fill-up the “Non-compliance” form. Non submittal of the “Non-compliance form would be taken as “complied”.
4. All the Specification & Compliance sheets should be signed and stamped by the offerer.

ITEM-01A: DATABASE SERVER – 1 No.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y/N)
1	Chassis	2 U Rack Mountable	
2	CPU	Two Quad Core Intel Xeon Processor, E5620 with 12 MB L3 cache	
3	Motherboard	Intel® 5520 Chipset	
4	Memory	16 GB RAM expandable upto 192 GB with PC3-8500R DDR3 Registered (RDIMM) memory,	
5	Memory Protection	Advanced memory protection	
6	Bays	2 x 450 GB 15000 rpm SAS HDD, Minimum 8 (scalable upto 14) Hot Plug 3.5" SAS/SATA hard disk bays + CDROM/DVD Bay	
7	Controller	SAS Raid Controller with RAID 0/1/1+0/5/5+0 with 256 battery backed write cache.	
8	Networking features	Dual Port Gigabit Server Adapter	
9	Ports	Five USB ports (two front, two rear , one optional internal)	
10	Bus Slots	Total 3 Slots: - 2 x PCI-Express (Standard)/ 2 x PCI-X (Optional) / 1 x16	

		(Optional) slots - 1 x16 PCI-Express slot	
11	Optical drive	DVD RW	
12	Power Supply	Common Slot Redundant Power Supplies	
13	Industry Standard Compliance	ACPI 2.0 Compliant, PCI 2.2 Compliant, WOL Support, Microsoft® Logo certifications, USB 2.0 Support, PXE Support, PMI 2.0 Compliant	
14	Security	Hardware-based system security feature that can securely store information, such as passwords and encryption keys, which can be used to authenticate the platform. It can also be used to store platform measurements that help ensure that the platform remains trustworthy.	
15	OS Support	Microsoft Windows Server, Red Hat Enterprise Linux (RHEL),	
16	Warranty	3 years including annual maintenance charges and software upgrades.	
17	Remote Manageability Software	System remote management software should support browser based Graphical Remote Console; Virtual Power button, Remote boot using USB / CD/ DVD Drive and should be capable to offer upgrade of software and patches from a remote client using Media / image/folder;server power capping and historical reporting;should have support for multifactor authentication. Remote console sharing during pre-OS and OS runtime operation, Console replay - Console Replay captures and stores for replay the console video during a server's last major fault or boot sequence. Microsoft Terminal Services Integration, 128 bit SSL encryption and Secure Shell Version 2 support. Should provide support for AES and 3DES on browser. Should provide remote firmware update functionality. Should provide support for Java free graphical remote console.	
18	Server Management	<p>The Systems Management software should provide Role-based security.</p> <p>Should help provide proactive notification of actual or impending component failure alerts on critical components like CPU, Memory and HDD. Should support automatic event handling that allows configuring policies to notify failures via e-mail, pager, or SMS gateway or automatic execution of scripts.</p> <p>Should support scheduled execution of OS commands, batch files, scripts, and command line apps on remote nodes</p> <p>Should be able to perform comprehensive system data collection and enable users to quickly produce detailed inventory reports for managed devices. Should support the reports to be saved in HTML, CSV or XML format.</p> <p>Should help to proactively identify out-of-date BIOS, drivers, and Server Management agents and enable the remote update of system software/firmware components.</p> <p>The Server Management Software should be of the same brand as of the server supplier.</p>	
19	LTO Drive	External with Buffer Size : 128MB, Capacity 1.6TB Compressed 2:1; Transfer rate 576 GB/Hr. Compressed 2:1; Host Interface: 3GB/Sec SAS, 5.25 Half Height	
20	Monitor	18.5" TFT (OEM Make)	
21	Key Board	104 keys keyboard	

22	Mouse	Optical mouse	
23	OS	Window 2008 standard with media 10 user CAL	
24	SQL Server	SQL Server 2008 standard with media & 10 user CAL	

ITEM-01B: APPLICATION SERVER – 1 No.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y/N)
1	Chassis	2 U Rack Mountable	
2	CPU	Two Quad Core Intel Xeon Processor, E5620 with 12 MB L3 cache	
3	Motherboard	Intel® 5520 Chipset	
4	Memory	8 GB RAM expandable upto 192 GB with PC3-8500R DDR3 Registered (RDIMM) memory,	
5	Memory Protection	Advanced memory protection	
6	Bays	4X 450 GB 15000 rpm SAS HDD, Minimum 8 (scalable upto 14) Hot Plug 3.5" SAS/SATA hard disk bays + CDROM/DVD Bay	
7	Controller	SAS Raid Controller with RAID 0/1/1+0/5/5+0 with 256 battery backed write cache.	
8	Networking features	Dual Port Gigabit Server Adapter	
9	Ports	Five USB ports (two front, two rear , one optional internal)	
10	Bus Slots	Total 3 Slots: - 2 x PCI-Express (Standard)/ 2 x PCI-X (Optional) / 1 x16 (Optional) slots - 1 x16 PCI-Express slot	
11	Optical drive	DVD RW	
12	Power Supply	Common Slot Redundant Power Supplies	
13	Industry Standard Compliance	ACPI 2.0 Compliant, PCI 2.2 Compliant, WOL Support, Microsoft® Logo certifications, USB 2.0 Support, PXE Support, PMI 2.0 Compliant	
14	Security	Hardware-based system security feature that can securely store information, such as passwords and encryption keys, which can be used to authenticate the platform. It can also be used to store platform measurements that help ensure that the platform remains trustworthy.	
15	OS Support	Microsoft Windows Server, Red Hat Enterprise Linux (RHEL),	
16	Warranty	3 years including annual maintenance charges and software upgrades.	
17	Remote Manageability Software	System remote management software should support browser based Graphical Remote Console; Virtual Power button, Remote boot using USB / CD/ DVD Drive and should be capable to offer upgrade of software and patches from a remote client using Media / image/folder; server power capping and historical reporting; should have support for multifactor authentication. Remote console sharing during pre-OS and OS runtime operation, Console replay - Console Replay captures and stores for replay the console video during a server's last major fault or boot sequence. Microsoft Terminal Services	

		Integration, 128 bit SSL encryption and Secure Shell Version 2 support. Should provide support for AES and 3DES on browser. Should provide remote firmware update functionality. Should provide support for Java free graphical remote console.	
18	Server Management	<p>The Systems Management software should provide Role-based security.</p> <p>Should help provide proactive notification of actual or impending component failure alerts on critical components like CPU, Memory and HDD. Should support automatic event handling that allows configuring policies to notify failures via e-mail, pager, or SMS gateway or automatic execution of scripts.</p> <p>Should support scheduled execution of OS commands, batch files, scripts, and command line apps on remote nodes</p> <p>Should be able to perform comprehensive system data collection and enable users to quickly produce detailed inventory reports for managed devices. Should support the reports to be saved in HTML, CSV or XML format.</p> <p>Should help to proactively identify out-of-date BIOS, drivers, and Server Management agents and enable the remote update of system software/firmware components.</p> <p>The Server Management Software should be of the same brand as of the server supplier.</p>	
19	LTO Drive	External with Buffer Size : 128MB, Capacity 1.6TB Compressed 2:1; Transfer rate 576 GB/Hr. Compressed 2:1; Host Interface: 3GB/Sec SAS, 5.25 Half Height	
20	Monitor	18.5" TFT (OEM Make)	
21	Key Board	104 keys keyboard	
22	Mouse	Optical mouse	
23	OS	Window 2008 standard with media 10 user CAL	

DOCUMENTS TO BE SUBMITTED:

S.N.	Document	Submitted (Y/N)
A	EMD	
B	Audited Balance Sheet or Chartered Accountant's certificate re: Turnover & Profit for the past 3 financial years	
C	PAN (Photocopy – self attested)	
D	TAN (Photocopy – self attested)	
E	Technical document/brochure etc.	
F	Order copies of the installations (self attested)	
H	Non-compliance sheet duly filled in	

ITEM-02: MISCELLANEOUS HARDWARE, SOFTWARE & LAN

Please go through the following sections carefully and make a copy of this annexure. This annexure is a part of the “Technical offer”.

MANDATORY REQUIREMENT:

1. Earnest Money Deposit of **Rs. 20,000.00** to be submitted as a bank draft/banker’s cheque in the name of Director, RCD, Jharkhand payable at Ranchi.
2. The offerer must be a profit making organization having an annual turnover of **Rs. 50 Lakhs** (average for the past 3 financial years) – *Audited Balance Sheet /or Certificate of a Chartered Accountant is needed to support this.*
3. PAN/TAN/Service Tax Certificates
4. Must have made at least 2 such or similar ‘delivery to installation’ previously preferably to government/public sector organization.

INSTRUCTIONS:

1. Fill up the “Complied” column by hand.
2. The Requirement / Specification mentioned is the minimum requirement. The offerer can offer alternate configuration without affecting the functionalities.
3. In case of any entry in the column “Complied” is “N”, please fill-up the “Non-compliance” form. Non submittal of the “Non-compliance form would be taken as “complied”.
4. All the Specification & Compliance sheets should be signed and stamped by the offerer.

ITEM-02A: PLOTTER A0 SIZE – 1 No.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y / N)
1	Width	44"	
2	Speed	28 sec /A1	
3	Line accuracy	0.1%	
4	Roll feed	Two automatic roll feeds; automatic roll-switching; automatic cutter	
5	Roll length	Up to 300 ft	
6	Cut sheet	Single	
7	Stand & Bin	Inbuilt	
8	Paper	60 to 328 gsm	
9	Resolution (max)	2400 x 1200 dpi	
10	Memory	32 GB	
11	Hard disk	160 GB	
12	Connectivity	1 Gigabit Ethernet (1000 Base-T) port, 1 Hi-Speed USB 2.0, EIO JETDIRECT ACCESSORY SLOT and inbuilt network card	
13	Printer Language	Adobe® PostScript® 3™, Adobe PDF 1.7, TIFF, JPEG, HP-GL/2, HP-RTL, CALS G4, HP PCL 3 GUI, Supports	

		LINUX	
14	Postscript	Inbuilt	
15	Instant Printing Utility	Yes	
16	Ink	Dye/Pigment based 6 color; tank capacity 300 ml each	
17	Print head	3	
18	Max Power consumption	120 W	

ITEM-02B: COLOR LASER PRINTER A3 size – 1 No.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y / N)
1	Standard Functions	Print	
2	Network Connectivity	Ethernet 10/100/1000Base-T, USB 2.0, Optional external wireless 802.11b,g,n	
3	Automatic 2-Sided Printing	Standard	
4	Recommended Monthly Print Volume	Up to 39,000 pages	
5	Duty Cycle	Up to 225,000 pages/month	
6	Product Size	Dimensions (WxDxH) 25.3" x 27.5" x 22.8"	
7	Warranty	One-year on-site warranty, Xerox Total Satisfaction Guarantee	
8	Print Speed	Up to 45 pages/minute in color and black-and-white	
9	Print First-Page-Out Time	As fast as 9 seconds color and black and white	
10	Maximum Print Resolution	600 x 600 x 8 dpi	
11	Print Memory (standard/max)	2GB with 160GB Hard Drive	
12	Hard Drive	160GB	
13	Processor	1.33 GHz	
14	Page Description Languages (PDL)	Adobe® PostScript® 3™, PCL® 6/5c, Adobe PDF-Direct version 1.6	
15	Operating System Support	Windows® XP/Server 2003/2008/Vista/7, Mac OS® 10.5 and higher, Oracle® Solaris 9, 10, Red Hat® Enterprise Linux® 4, 5, Fedora Core 11-13, SUSE 11.x, IBM® AIX 5, HP-UX® 11.0/11i, Novell NetWare 6.5 (NDPS), Xerox Global Print Driver®, Xerox Mobile Express Driver®	
16	Paper Size	Tray 1: 3.5"x3.9" to 12.6"x48" / Tray 2: 5.5"x7.2" to 11.7"x17" / High Capacity Tandem Tray: 5.5"x7.2" to 13"x18" / 3 Tray Module: 5.5"x7.2" to 13"x18"	
17	Paper Capacity (standard/max)	620 sheets	
18	Paper Types	Lightweight to extra heavy cardstock (coated and uncoated), plain, preprinted, prepunched, letterhead, envelopes, transparencies, recycled, custom	
19	Paper Weight	Tray 1: 20 lb. bond to 130 lb. cover (75-350 gsm) / Trays 2-5 and finishers: 20 lb. bond to 98 lb. cover (75-256 gsm)	
20	Output Capacity	500 sheets	
21	Standard Device Management Features	CentreWare® Internet Services, CentreWare Web, Email alerts, Cloning, PhaserSMART®, Job Accounting, Usage Analysis, Print Submission Tools, Job Tracker, WebJet Admin Interface, Tivoli, Apple® Bonjour	
22	Security Features	Secure HTTPS (SSL), IPsec, Optional removable hard drive, 802.1X authentication, IPv6, SNMPv3, Image overwrite, Configurable disk overwrite, Port control, IP filtering	
23	Standard Device Management Features	CentreWare® Internet Services, CentreWare Web, Email alerts, Cloning, PhaserSMART®, Job Accounting, Usage Analysis, Print Submission Tools, Job Tracker, WebJet Admin Interface, Tivoli, Apple® Bonjour	
24	Temperature	Operating: 50 - 90° F (10 - 32° C)	
25	Relative Humidity (noncondensing)	15 - 85 % RH (operating)	
26	Sound Pressure Levels	52 dB (operating), 21 dB (standby)	
27	Power Consumption	Operating : 844 W Standby : 86 W Power Saver: 53 W Sleep mode: 5.3 W	
28	Electrical Requirements	115V, 50/60Hz	

29	ENERGY STAR	ENERGY STAR certified	
30	Certifications	Certified to UL 60950-1/CSA 60950-1-07, 2nd Edition; FCC Part 15, Class A; Low Voltage Directive 2006/95/EC; EN 60950-1, 2nd Edition; EMC Directive 2004/108/EC; EN 55022, Class A; EN 55024; RoHS Directive 2002/95/EC; Section 508 Compliant; ENERGY STAR® (Qualified)	

ITEM-02C: COPY /SCAN/ FAX MACHINES – 2 Nos.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y/N)
1	Print Technology	Laser beam printing	
2	Print Speed	12 page per minute	
3	Applicable Line	PSTN/PABX	
4	Model Speed	33.6Kbps (Super G3)	
5	Automatic document feeder	30 Sheets	
6	Document Size	Width - 210mm (Max), 148mm (Min); Length - 400mm (Max), 105mm (Min)	
7	Fax resolution	Standard, Fine and Superfine; Print resolution - 600 x 600 dpi	
8	Smoothing	Yes	
9	Image processing system	UHQ (Ultra High Quality)	
10	Paper capacity	150 Sheet Auto Sheet Feeder	
11	Print cartridge	FX-10 All-in-One Laser Cartridge	
12	Print cartridge yield	approx, 2000 pages (based on 5% print coverage)	-; -; -; -; -; -;
13	Display Type	LCD	
14	Display Size	20 x 2	
15	Languages	15 Languages	
16	Power Source	AC 200-240V50-60Hz	
17	Power consumption	Approx. 9W (standby) Approx. 700W (Max)	
18	Acoustic Noise Levels	Approx. 30db(A) max (standard) 50db (A) max (Copy)	
19	Interface	USB	

ITEM-02D: MULTIMEDIA PROJECTOR – 1 Nos.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y/N)
1	Projection System	Original LCD Prism technology	
2	Projection Method	Front/rear/ceiling mount	
3	LCD-Size	1.0 inches,	
4	Driving Method	Pixel Number: 786,432 dots X 3 (1024 x 768) LCD	
5	Native Resolution	XGA	
6	Aspect Ratio	4:3 (supports 16:9, 5:4)	
7	Pixel Arrangement	Stripe Projection Lens-Type: Manual	

ITEM-02F: PC SOFTWARE – 10 Nos.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y / N)
1	MS Office	Standard version containing MS Word, MS Excel, MS Power point	
2	Anti Virus Software		
3	Manual	As provided by the manufacturer	
4	Warranty	1 year with free uploads and upgrades for both i.e. MS Office & Anti virus software	

ITEM-02G: LAN (Local Area Networking)

S.N.	Item/Component	Description of requirement / Specification	Complied (Y / N)
1		for systems at Porta Cabin, PIC Building, in Project Building Campus for 10 Rooms and One Conference Hall.	

DOCUMENTS TO BE SUBMITTED:

S.N.	Document	Submitted (Y/N)
A	EMD	
B	Audited Balance Sheet or Chartered Accountant's certificate re: Turnover & Profit for the past 3 financial years	
C	PAN (Photocopy – self attested)	
D	TAN (Photocopy – self attested)	
E	Technical document/brochure etc. for each of the items	
F	Order copies of the installations (self attested)	
H	Non-compliance sheet duly filled in	

ITEM-03: Manifold

Please go through the following sections carefully and make a copy of this annexure. This annexure is a part of the “Technical offer”.

MANDATORY REQUIREMENT:

1. Earnest Money Deposit of **Rs. 3,000.00** to be submitted as a bank draft/banker's cheque in the name of Director, RCD, Jharkhand payable at Ranchi.
2. The offerer must be a profit making organization having an annual turnover of **Rs. 25 Lakhs** (average for the past 3 financial years) – *Audited Balance Sheet /or Certificate of a Chartered Accountant is needed to support this.*
3. PAN/TAN/Service Tax Certificates
4. Must have made at least 2 such or similar ‘delivery to installation’ previously preferably to government/public sector organization.

INSTRUCTIONS:

1. Fill up the “Complied” column by hand.
2. The Requirement / Specification mentioned is the minimum requirement. The offerer can offer alternate configuration without affecting the functionalities.
3. In case of any entry in the column “Complied” is “N”, please fill-up the “Non-compliance” form. Non submittal of the “Non-compliance form would be taken as “complied”.
4. All the Specification & Compliance sheets should be signed and stamped by the offerer.

S.N.	Item/Component	Description of requirement / Specification	Complied (Y/N)
1	Manifold	Manifold 8.0 professional enterprises x64bit version (License) Manifold 8.0 universal run time x64bit version (License)	

DOCUMENTS TO BE SUBMITTED:

S.N.	Document	Submitted (Y/N)
A	EMD	
B	Audited Balance Sheet or Chartered Accountant's certificate re: Turnover & Profit for the past 3 financial years	
C	PAN (Photocopy – self attested)	
D	TAN (Photocopy – self attested)	
E	Technical document/brochure etc.	
F	Order copies of the installations (self attested)	
H	Non-compliance sheet duly filled in	

NON-COMPLIANCE SHEET FOR “TECHNICAL BID”

Annexure- NC

INSTRUCTIONS:

- 1. The offerer is expected to submit in the format prescribed below.
- 2. To be filled-up for each item, if there is any non-compliance against any specification for an Item/Component. The S.N. & Item/Component should correspond to the ones in the ‘Specification & Compliance’ sheet that has not been complied.

ITEM NO: :

ITEM DESCRIPTION :

S.N.	Item/Component	Remarks

ITEM NO: :

ITEM DESCRIPTION :

S.N.	Item/Component	Remarks

PRICE OFFER

Annexure- PO

INSTRUCTIONS:

1. Please make a copy of this document and scribe the contents by hand without overwriting.
2. Only **unit rate** is to be mentioned.
3. This page has to be submitted in a sealed envelope.

Item	Description	Unit Rate in Rs.	Rate in words	Applicable Tax (%)
01A	DATABASE SERVER			
01B	APPLICATION SERVER			

02A	PLOTTER – A0			
02B	PRINTER – A3			
02C	FAX/COPY/SCAN Machine			
02D	MULTIMEDIA PROJECTOR			
02E	LCD TV			
02F	PC SOFTWARE			
02G	LAN			

03	Manifold			
----	----------	--	--	--

Signature:

Offerer (Company Name)

Designation:

Company Stamp